

Sampling Point	Sampling date	PFBS ₂	PFPS _{1,3}	PFHS ₄	TDFOS ₅	PFHpS _{1,6}	PFOS ₇	TDFOXAS _{11,8}	TDFOPAS _{11,8}	PFOA ₉
Mont a la Brune Housing Estate	05/07/1999	-	-	Nd	-	-	Nd	-	-	-
Mont a la Brune Housing Estate	14/07/1999	-	-	Nd	-	-	Nd	-	-	-
Mont a la Brune Housing Estate	22/07/1999	-	-	Nd	-	-	Nd	-	-	-
Mont a la Brune Housing Estate	28/07/1999	-	-	Nd	-	-	Nd	-	-	-
Mont a la Brune Housing Estate	04/08/1999	-	-	Nd	-	-	Nd	-	-	-
Mont a la Brune Housing Estate	17/08/1999	-	-	Nd	-	-	Nd	-	-	-
Mont a la Brune Housing Estate	06/06/2006	-	-	-	-	-	0.02	-	-	-
Mont a la Brune Housing Estate	06/12/2006	Nd	0.02	0.04	Nd	Nd	0.19	Nd	Nd	Nd
Mont a la Brune Housing Estate	29/08/2008	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	19/12/2008	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	23/06/2009	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	20/01/2010	Nd	Nd	0.03	Nd	Nd	0.03	Nd	Nd	Nd
Mont a la Brune Housing Estate	14/02/2011	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	04/07/2011	0.09	Nd	0.04	Nd	Nd	Nd	Nd	Nd	0.12
Mont a la Brune Housing Estate	09/03/2012	0.013	Nd	0.039	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	20/08/2012	Nd	Nd	0.028	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	06/03/2013	0.02	Nd	0.03	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	16/04/2014	Nd	Nd	0.057	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	25/08/2015	Nd	Nd	0.04	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	01/07/2016	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	05/12/2016	Nd	Nd	0.064	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	05/12/2016	Nd	Nd	0.062	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	05/12/2016	Nd/Nd ₁₂	Nd/Nd ₁₂	0.064/0.053	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂
Mont a la Brune Housing Estate	02/05/2017	Nd	Nd	0.039	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	10/11/2017	-	-	-	-	-	0.00207	-	-	<0.002
Mont a la Brune Housing Estate	10/10/2018	-	-	-	-	-	0.00213	-	-	<0.002
Sampling Point Les Cotils	06/04/1999	-	-	-	-	-	-	-	-	-
Les Cotils	20/01/2000	0.83	1.4	2.93	-	-	1.20	-	-	-
Les Cotils	20/04/2000	2.38	4.8	10.15	12.18	2.2	60.00	-	-	-
Les Cotils	09/06/2000	2.28	2.70	4.89	<0.84	0.33	1.80	-	-	-
Les Cotils	28/07/2000	2.33	2.9	5.26	-	0.39	2.20	-	-	-
Les Cotils	03/11/2000	1.70	2.20	4.00	-	0.23	1.00	-	-	-
Les Cotils	04/11/2000	2.70	4.40	11.00	-	0.84	3.70	-	-	-
Les Cotils	01/05/2001	-	2.10	2.30	-	0.84	3.70	-	-	-
Les Cotils	23/10/2001	1.70	2.10	3.60	-	0.44	1.30	-	-	-
Les Cotils	04/04/2002	0.89	0.78	2.60	-	0.61	2.10	-	-	-
Les Cotils	16/10/2002	-	-	0.61	-	-	1.70	-	-	-
Les Cotils	03/02/2003	1.20	2.30	4.40	-	-	1.00	-	-	-
Les Cotils	06/03/2003	1.20	2.10	3.80	-	0.61	3.00	-	-	-
Les Cotils	06/05/2003	1.20	2.40	5.20	0.52	0.40	1.30	-	-	-
Les Cotils	24/07/2003	4.70	9.10	19.00	-	0.55	1.80	-	-	-
Les Cotils	19/09/2003	4.90	7.20	14.00	0.76	1.50	8.10	-	-	-
Les Cotils	15/10/2003	0.38	0.85	3.20	0.11	0.81	5.40	-	-	-
Les Cotils	05/01/2004	0.26	0.55	1.90	-	0.48	3.30	-	-	-
Les Cotils	30/01/2004	7.90	11.00	16.00	2.60	0.26	1.50	-	-	-
Les Cotils	18/02/2004	2.90	3.30	7.90	0.74	0.99	9.40	-	-	-
Les Cotils	09/03/2004	2.20	3.90	7.60	0.95	0.95	5.20	-	-	-
Les Cotils	26/04/2004	3.40	0.83	15.00	0.71	0.95	3.40	-	-	-
Les Cotils	15/07/2004	2.50	6.50	14.00	-	0.94	3.70	-	-	-
Les Cotils	29/09/2004	4.30	7.00	15.00	0.64	1.70	9.60	-	-	-
Les Cotils	02/11/2004	0.97	1.50	4.00	-	1.40	5.10	-	-	-
Les Cotils	23/02/2005	6.00	5.60	14.00	0.84	1.40	5.80	-	-	-
Les Cotils	30/03/2005	4.90	12.00	18.00	-	2.20	12.00	-	-	-
Les Cotils	16/05/2005	2.90	4.00	6.30	2.50	1.60	3.20	-	-	-
Les Cotils	10/11/2005	12.00	19.00	44.00	-	11.00	4.50	-	-	-
Les Cotils	31/05/2006	1.30	2.70	11.00	0.68	0.91	4.80	Nd	Nd	3.5
Les Cotils	07/12/2006	1.80	3.70	15.00	0.49	1.10	6.20	Nd	Nd	0.98
Les Cotils	27/06/2007	1.60	2.90	14.00	0.86	0.75	5.10	Nd	Nd	0.98
Les Cotils	09/01/2008	4.4/5.0 ₁₂	19/23 ₁₂	30/34 ₁₂	1.5/1.6 ₁₂	1.0/1.1 ₁₂	4.2/4.5 ₁₂	Nd	Nd	3.50
Les Cotils	11/06/2008	1.20	4.50	14.00	1.60	1.40	9.40	Nd	Nd	0.83
Les Cotils	16/12/2008	1.40	0.88	8.30	Nd	0.52	3.50	Nd	Nd	0.43
Les Cotils	22/06/2009	5.2/4.8 ₁₂	2.1/2.1 ₁₂	8.7/8.2 ₁₂	Nd/Nd ^{d12}	0.7/0.75 ₁₂	5.6/6.0 ₁₂	Nd/Nd ¹²	Nd/Nd ¹²	0.83/0.85 ₁₂
Les Cotils	22/12/2009	-	-	-	-	-	2.90	-	-	0.39
Les Cotils	03/02/2011	-	-	-	-	-	3.30	-	-	0.46
Les Cotils	16/06/2011	-	-	-	-	-	4.10	-	-	1.1
Les Cotils	13/02/2012	1.5	1.5	8.9	0.15	0.4	3.10	Nd	Nd	0.7
Les Cotils	09/08/2012	1.2	1.4	8.8	0.12	0.37	3.20	Nd	Nd	0.66
Les Cotils	05/03/2013	0.77	0.71	4.93	0.08	0.17	1.05	Nd	Nd	0.34
Les Cotils	15/05/2014	1.2	1.2	9.4	0.45	0.44	3.30	Nd	Nd	0.73
Les Cotils	13/05/2015	1.0	1.3	8.3	0.12	0.29	3.00	Nd	Nd	0.59
Les Cotils	02/06/2016	0.8	0.62	13	0.48	0.57	6.8	Nd	Nd	0.68
Les Cotils	02/05/2017	3.1	2.6	21	1.6	1.3	19	Nd	0.284	1.6
Les Cotils	10/11/2017	-	-	-	-	-	11	-	-	0.694
Les Cotils Outside Tap	10/10/2018	-	-	-	-	-	10.3	-	-	0.929
Sampling Point Chateau du Port	06/04/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	05/05/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	11/05/1999	-	-	5.24	-	-	5.03	-	-	-
Chateau du Port	18/05/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	25/05/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	01/06/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	08/06/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	14/06/1999	0.72	-	2.82	-	-	2.79	-	-	-
Chateau du Port	22/06/1999	1.56	-	5.24	-	-	3.64	-	-	-
Chateau du Port	07/01/2000	-	-	2.97	-	-	3.40	-	-	-
Chateau du Port	25/04/2000	2.69	3.5	5.64	3.36	0.93	5.40	-	-	-
Chateau du Port	29/07/2000	3.73	5.1	6.02	4.62	1.4	8.70	-	-	-
Chateau du Port	02/11/2000	1.8	1.6	2.7	-	-	2.60	-	-	-
Chateau du Port	22/04/2001	1.6	2.8	2.00	-	-	3.50	-	-	-
Chateau du Port	23/10/2001	-	2.60	2.70	-	-	4.50	-	-	-
Chateau du Port	04/04/2002	1.00	1.80	2.30	1.10	-	2.50	-	-	-
Chateau du Port	05/10/2002	-	-	0.65	-	-	1.90	-	-	-
Chateau du Port	07/05/2003	0.76	1.40	3.50	0.28	0.61	2.70	-	-	-
Chateau du Port	15/10/2003	0.24	0.52	1.70	-	0.31	4.90	-	-	-
Chateau du Port	21/04/2004	1.60	2.20	7.40	-	0.19	5.10	-	-	-
Chateau du Port	27/10/2004	0.75	1.10	3.00	-	0.30	4.60	-	-	-
Chateau du Port	05/06/2006	0.66	1.20	5.50	0.32	0.38	6.80	Nd	Nd	0.36
Chateau du Port	26/06/2006	0.52	1.60	5.00	0.34	0.47	5.50	-	-	-
Chateau du Port	10/07/2006	0.20	0.70	2.20	4.30	0.22	2.70	-	-	-
Chateau du Port	18/07/2006	0.48	1.40	4.60	0.21	0.50	6.90	Nd	Nd	0.44
Chateau du Port	20/06/2011	1.00	0.84	5.70	0.15	0.24	4.50	Nd	Nd	0.42
Chateau du Port	21/02/2012	0.89	1.0	6.6	0.093	0.28	5.00	Nd	Nd	0.38
Chateau du Port	09/08/2012	0.52	0.71	4.8	0.071	0.19	3.90	Nd	Nd	0.31
Chateau du Port	05/03/2013	0.53	0.54	3.9	0.06	0.13	2.34	Nd	Nd	0.23
Chateau du Port	15/04/2014	0.53	0.55	4.9	0.14	0.18	4.60	Nd	Nd	0.34
Chateau du Port	27/05/2015	0.43	0.54	4.5	0.073	0.14	4.30	Nd	Nd	0.20
Chateau du Port	10/11/2017	-	-	-	-	-	4.48	-	-	0.23
Chateau du Port B/H Tap	24/04/2018	-	-	-	-	-	2.79	-	-	0.232
Chateau du Port	08/10/2018	-	-	-	-	-	3.51	-	-	0.217
Sampling Point Simon Sand Pit Office	16/06/1999	-	-	0.55	-	-	nd	-	-	not examined
Simon Sand Pit Office	07/01/2000	-	-	0.38	-	-	nd	-	-	not examined

Simon Sand Pit Office	19/04/2000	0.23	0.36	0.90	-	-	0.37	-	-	not examined
Simon Sand Pit Office	19/07/2000	-	-	1.32	-	-	<0.20	-	-	not examined
Simon Sand Pit Office	27/10/2000	-	-	0.64	-	-	<1.0	-	-	not examined
Simon Sand Pit Office	07/11/2000	-	-	1.10	-	-	0.51	-	-	not examined
Simon Sand Pit Office	17/04/2001	-	-	0.42	-	-	0.72	-	-	not examined
Simon Sand Pit Office	23/10/2001	-	-	<0.4	-	-	<0.4	-	-	not examined
Simon Sand Pit Office	02/04/2002	-	-	0.26	-	-	0.26	-	-	not examined
Simon Sand Pit Office	09/10/2002	-	-	<0.08	-	-	0.34	-	-	not examined
Simon Sand Pit Office	15/10/2002	-	-	0.09	-	-	0.47	-	-	not examined
Simon Sand Pit Office	29/04/2003	0.21	<0.58	0.65	<0.53	<0.58	<0.2	<0.53	<0.53	not examined
Simon Sand Pit Office	11/11/2003	<0.58	<0.58	0.23	<0.53	<0.58	0.26	<0.53	<0.53	not examined
Simon Sand Pit Office	11/11/2003	<0.58	0.23	<0.08	<0.53	0.26	<0.2	<0.53	<0.53	not examined
Simon Sand Pit Office	21/04/2004	<0.58	0.12	0.75	<0.53	<0.58	0.92	<0.53	<0.53	not examined
Simon Sand Pit Office	25/10/2004	0.12	0.12	0.46	<0.53	<0.58	0.24	<0.53	<0.53	not examined
Simon Sand Pit Office	05/06/2006	0.05	0.11	0.64	<0.53	0.05	0.30	<0.53	<0.53	0.09
Simon Sand Pit Office	20/06/2006	0.04	0.11	0.39	<0.53	0.06	0.18	<0.53	<0.53	0.05
Simon Sand Pit Office	04/07/2006	0.04	0.10	0.52	<0.53	0.06	0.26	<0.53	<0.53	<0.03
Simon Sand Pit Office	18/07/2006	0.04	0.11	0.55	<0.53	0.08	0.29	<0.53	<0.53	0.17
Simon Sand Pit Office	27/05/2015	Nd	0.034	0.37	nd	Nd	0.65	Nd	Nd	0.073
Simon Sand Pit Office	02/06/2016	Nd	Nd	0.14	Nd	Nd	0.74	Nd	Nd	Nd
Simon Sand Pit Office	02/05/2017	0.039	0.032	0.41	Nd	0.013	0.75	Nd	Nd	0.064
Simon Sand Pit Office	10/11/2017	-	-	-	-	-	1.03	-	-	0.031
Simon Sand Pit BH	13/02/2018	-	-	-	-	-	0.493	-	-	0.0455
Simon Sand Pit BH	19/02/2018	-	-	-	-	-	0.418	-	-	0.0424
Simons Sand Pit BH	10/10/2018	-	-	-	-	-	0.821	-	-	0.054
Sampling Point Elm Farm	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Elm Farm Kitchen sink	06/04/1999	7.00	4.64	13.67	4.88	1.93	43.33	-	-	-
Elm Farm Kitchen sink	24/01/2000	2.18	4.00	12.03	4.2	1.8	41.00	-	-	-
Elm Farm Kitchen sink	21/04/2000	5.18	9.10	26.69	10.5	3.30	83.00	-	-	-
Elm Farm Kitchen sink	28/07/2000	2.85	4.30	13.16	5.04	1.90	32.00	-	-	-
Elm Farm Kitchen sink	03/11/2000	0.82	0.88	3.70	1.10	0.52	6.50	-	-	-
Elm Farm Kitchen sink	04/11/2000	6.4	12.00	40.00	11.00	4.70	98.00	-	-	-
Elm Farm Kitchen sink	21/04/2001	3.00	5.50	7.90	3.60	1.50	41.00	-	-	-
Elm Farm Kitchen sink	23/10/2001	2.50	4.60	9.70	5.50	2.00	30.00	-	-	-
Elm Farm Kitchen sink	04/04/2002	1.50	2.70	5.80	2.10	1.10	18.00	-	-	-
Elm Farm Kitchen sink	15/10/2002	-	-	1.00	0.39	0.30	7.90	-	-	-
Elm Farm Kitchen sink	03/02/2003	1.40	2.90	7.30	2.00	1.30	30.00	-	-	-
Elm Farm Kitchen sink	06/03/2003	0.94	2.10	4.80	1.20	0.66	16.00	-	-	-
Elm Farm Kitchen sink	07/05/2003	1.20	2.70	7.20	2.20	1.00	23.00	-	-	-
Elm Farm Kitchen sink	12/06/2003	4.20	8.20	28.00	3.90	3.30	74.00	-	2.00	-
Elm Farm Kitchen sink	22/07/2003	5.70	12.00	34.00	4.40	3.60	52.00	-	-	-
Elm Farm Kitchen sink	22/09/2003	6.40	9.20	23.00	1.20	2.20	34.00	-	-	-
Elm Farm Kitchen sink	15/10/2003	0.37	0.91	4.7	0.58	0.81	23.00	-	0.52	-
Elm Farm Kitchen sink	05/01/2004	0.53	1.3	5.3	0.81	0.8	13.00	-	0.60	-
Elm Farm Kitchen sink	30/01/2004	-	-	-	-	-	51.00	-	-	-
Elm Farm Kitchen sink	18/02/2004	2.2	3.1	11	1.7	2.3	36.00	-	-	-
Elm Farm Kitchen sink	15/03/2004	4.1	3.2	11	1.6	1.2	31.00	-	-	-
Elm Farm Kitchen sink	26/04/2004	2.1	4.1	14	2.7	2.2	41.00	0.35	0.91	-
Elm Farm Kitchen sink	26/05/2004	1.2	2	6.5	0.85	0.78	17.00	-	-	-
Elm Farm Kitchen sink	15/07/2004	2.0	5.0	12.0	-	2.30	52.00	-	-	-
Elm Farm Kitchen sink	25/08/2004	2.7	5.4	11.0	-	0.97	23.00	-	-	-
Elm Farm Kitchen sink	29/09/2004	1.60	2.80	11.00	0.62	2.20	44.00	-	-	-
Elm Farm Kitchen sink	05/10/2004	2.40	3.90	12.00	1.60	1.60	33.00	-	0.73	-
Elm Farm Kitchen sink	02/11/2004	2.00	3.30	9.50	1.30	1.30	22.00	-	-	-
Elm Farm Kitchen sink	28/02/2005	2.70	3.60	12.00	1.80	2.00	34.00	-	0.98	-
Elm Farm Kitchen sink	30/03/2005	2.40	6.40	16.00	0.77	2.80	71.00	-	1.4	-
Elm Farm Kitchen sink	16/05/2005	2.50	4.00	8.60	-	1.80	30.00	-	-	-
Elm Farm Kitchen sink	09/11/2005	4.50	0.37	25.00	-	8.60	23.00	-	-	-
Elm Farm Kitchen sink	30/05/2006	0.83	2.0	12	2.5	1.4	31.00	0.43	1.4	1.0
Elm Farm Kitchen sink	30/05/2006	0.08	0.13	0.99	0.01	0.01	0.21	Nd	Nd	0.06
Elm Farm Kitchen sink	30/05/2006	0.81	2.0	11	2.4	1.2	30.00	0.15	0.93	0.70
Elm Farm Kitchen sink	27/06/2007	0.64	2.0	14	4.4	1.1	28.00	0.59	2.9	0.88
Elm Farm Kitchen sink	09/06/2008	0.84	2.9	11	2.3	1.1	29.00	Nd	3.0	0.72
Elm Farm Kitchen sink	16/12/2008	0.86	0.69	11	2.6	0.94	34.00	0.35	1.5	0.86
Elm Farm Kitchen sink	23/06/2009	1.5	1.3	8.3	2.3	0.89	27.00	Nd	2.5	0.83
Elm Farm Kitchen sink	21/12/2009	-	-	-	-	-	30.00	-	-	0.68
Elm Farm Kitchen sink	03/02/2011	-	-	-	-	-	38.00	-	-	0.77
Elm Farm Kitchen sink	22/06/2011	0.75	0.98	9.6	2.2	0.63	29.00	0.24	1.1	1.40
Elm Farm Kitchen sink	22/02/2012	1.0	1.3	12	1.6	0.8	30.00	0.17	1.2	0.97
Elm Farm Kitchen sink	09/08/2012	0.64	0.86	7.7	0.89	0.50	19.00	0.050	0.56	0.69
Elm Farm Kitchen sink	05/03/2013	0.66	0.76	8.2	0.89	0.48	17.00	0.050	0.83	0.60
Elm Farm Kitchen sink	16/04/2014	0.87	1.1	14	4.5	1.2	41.00	0.94	4.9	1.3
Elm Farm Kitchen sink	01/06/2015	0.82	1.2	11	0.79	0.72	23.00	nd	0.42	0.84
Elm Farm Kitchen sink	22/06/2016	0.65	0.50	8.6	1.3	0.52	21.00	Nd	Nd	0.67
Elm Farm Kitchen sink	02/05/2017	1.4	1.30	14	1.9	1.1	30.00	Nd	0.42	1.3
Elm Farm Kitchen sink	10/11/2017	-	-	-	-	-	24.20	-	-	1.13
Elm Farm Kitchen sink	16/10/2018	-	-	-	-	-	40.50	-	-	0.871
Sampling Point Le Trois Vents	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Les Trois Vents Borehole	10/11/2005	0.79	0.72	3.60	-	-	2.40	-	-	-
Les Trois Vents Borehole	19/06/2006	0.07	0.21	0.79	-	0.06	0.72	-	-	-
Les Trois Vents Borehole	07/12/2006	0.12	0.27	1.6	Nd	0.06	0.72	Nd	Nd	0.08
Les Trois Vents Borehole	19/06/2006	0.07	0.21	0.79	Nd	0.06	0.72	Nd	Nd	Nd
Les Trois Vents Borehole	07/12/2006	0.12	0.27	1.6	Nd	0.061	0.72	Nd	Nd	0.080
Les Trois Vents Borehole	25/05/2010	0.21	0.16	1.5	Nd	0.049	1.50	Nd	Nd	0.15
Les Trois Vents Borehole	11/02/2011	0.18	0.19	2.00	Nd	0.09	2.20	Nd	Nd	0.11
Les Trois Vents Borehole	16/06/2011	0.28	0.26	2.8	Nd	0.12	4.50	Nd	Nd	0.66
Les Trois Vents Borehole	20/02/2012	0.18	0.20	2.0	Nd	0.086	2.50	Nd	Nd	0.2
Les Trois Vents Borehole	15/08/2012	0.13	0.18	1.6	Nd	0.058	2.30	Nd	Nd	0.14
Les Trois Vents Borehole	05/03/2013	0.15	0.14	1.56	Nd	0.04	1.80	Nd	Nd	0.09
Les Trois Vents Borehole	17/04/2014	0.29	0.30	3.5	Nd	0.11	7.10	Nd	Nd	0.26
Les Trois Vents Borehole	26/05/2015	0.19	0.24	3	Nd	0.071	5.30	Nd	Nd	0.20
Les Trois Vents Borehole	02/05/2017	0.15	0.13	1.6	Nd	0.037	3.30	Nd	Nd	0.112
Les Trois Vents Outside Tap BH	10/11/2017	-	-	-	-	-	1.90	-	-	0.105
Les Trois Vents	10/10/2018	-	-	-	-	-	3.11	-	-	0.164

Monitoring Sites										
Sampling Point Fire Training Ground 1	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
FTG1	23/02/2012	4	4.9	42	3.8	3.2	41	0.07	0.65	4.1
FTG1	15/08/2012	2.9	3.7	29	1.5	2.5	31	Nd	0.36	2.8
FTG1	06/03/2013	13.86	15.43	97.74	12.28	13.27	91.15	0.34	3.86	8.69
FTG1	17/09/2015	25	27	200.00	14	21	290.00	0.82	3.5	18
FTG1	02/05/2017	30/30	25/25	150/148	20/21	15/15	260/263	0.91/0.82	4.1/4.0	13/14
FTG BH1	13/11/2017	-	-	-	-	-	156	-	-	1.72
Sampling Point Fire Training Ground 3	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
FTG BH3	18/04/2018	-	-	-	-	-	99.3	-	-	1.29
FTG BH3	09/10/2018	-	-	-	-	-	67	-	-	2.56
Sampling Point Fire Training Ground 4	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
FTG BH4	10/11/2017	-	-	-	-	-	328	-	-	4.58
FTG BH4	17/04/2018	-	-	-	-	-	225	-	-	13.5
FTG BH4	09/10/2018	-	-	-	-	-	472	-	-	16.4

DWI Wholesomeness threshold is below

PFOS: 1.0 µg/l

PFOA: 5.0 µg/l

¹ Calibration of PFOS

² PFBS: perfluorobutanesulphonate, calibration with PFBS

³ PFPS: assigned as perfluoropentylsulphonate. Measured by comparison with TDFOS, since no reference sample available

⁴ PFHS: perfluorohexylsulphonate

⁵ TDFOS: tridecylfluorooctylsulphonate

⁶ PFHpS: assigned as perfluoroheptylsulphonate. Measured by comparison with TDFOS, since no reference sample available.

⁷ PFOS: perfluorooctylsulphonate

⁸ TDFOXAS: assigned as tridecylfluorooctane sulphoxide assigned as tridecylfluorooctane sulphone. Measured by comparison with TDFOS, since no reference sample available.

⁹ PFOA: perfluorooctanoic acid

¹⁰ Calibration with PFOA

¹¹ Calibration with TDFOS

¹² Duplicate analysis

PFOS: perfluorooctylsulphonate

PFOA: perfluorooctanoic acid

nd: not detected; limit of detection 0.01 ppb for PFOS, 0.03 ppb for PFOA