

Sampling Point	Sampling date	PFBS ₂	PFPS _{1,3}	PFHS ₄	TDFOS ₅	PFHpS _{5,6}	PFOS ₇	TDFOXAS _{11,8}	TDFOPAS _{11,8}	PFOA ₉
Sampling Point Levitha										
Levitha	23/02/2016	Nd	0.032	0.55	Nd	0.010	0.17	Nd	Nd	0.14
Sampling Point Mont a la Brune Housing Estate										
Mont a la Brune Housing Estate	05/07/1999	-	-	Nd	-	-	-	-	-	-
Mont a la Brune Housing Estate	14/07/1999	-	-	Nd	-	-	Nd	-	-	-
Mont a la Brune Housing Estate	22/07/1999	-	-	Nd	-	-	Nd	-	-	-
Mont a la Brune Housing Estate	28/07/1999	-	-	Nd	-	-	Nd	-	-	-
Mont a la Brune Housing Estate	04/08/1999	-	-	Nd	-	-	Nd	-	-	-
Mont a la Brune Housing Estate	17/08/1999	-	-	Nd	-	-	Nd	-	-	-
Mont a la Brune Housing Estate	06/06/2006	-	-	-	-	-	0.02	-	-	-
Mont a la Brune Housing Estate	06/12/2006	Nd	0.02	0.04	Nd	Nd	0.19	Nd	Nd	Nd
Mont a la Brune Housing Estate	29/08/2008	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	19/12/2008	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	23/06/2009	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	20/01/2010	Nd	Nd	0.03	Nd	Nd	0.03	Nd	Nd	Nd
Mont a la Brune Housing Estate	14/02/2011	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	04/07/2011	0.09	Nd	0.04	Nd	Nd	Nd	Nd	Nd	0.12
Mont a la Brune Housing Estate	09/03/2012	0.013	Nd	0.039	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	20/08/2012	Nd	Nd	0.028	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	06/03/2013	0.02	Nd	0.03	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	16/04/2014	Nd	Nd	0.057	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	25/08/2015	Nd	Nd	0.04	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	01/07/2016	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	05/12/2016	Nd	Nd	0.064	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	05/12/2016	Nd	Nd	0.062	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	05/12/2016	Nd/Nd ₁₂	Nd/Nd ₁₂	0.064/0.053	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂
Mont a la Brune Housing Estate	02/05/2017	Nd	Nd	0.039	Nd	Nd	Nd	Nd	Nd	Nd
Sampling Point Les Capcons										
Les Capcons	21/06/2011	0.071	0.038	0.30	nd	nd	0.17	nd	nd	0.17
Les Capcons	20/02/2012	0.016	0.027	0.2	nd	nd	0.095	nd	nd	nd
Les Capcons	09/08/2012	0.026/0.028 ₁₂	0.029/0.028 ₁₂	0.27/0.24 ₁₂	nd/nd ₁₂	nd/nd ₁₂	0.13/0.11 ₁₂	nd/nd ₁₂	nd/nd ₁₂	nd/nd ₁₂
Les Capcons	05/03/2013	0.02	nd	0.03	nd	nd	0.010	nd	nd	nd
Les Capcons	01/05/2014	nd	nd	0.16	nd	nd	0.068	nd	nd	nd
Les Capcons	15/03/2015	0.02	Nd	0.03	Nd	Nd	0.01	Nd	Nd	Nd
Les Capcons	21/11/2016	nd/nd ₁₂	1.3/1.5	nd/nd	nd/nd	nd/nd	0.38/0.45	nd/nd	nd/nd	nd/nd
Sampling Point Tumbleside										
Tumbleside	27/05/2015	Nd/Nd ₁₂	Nd/Nd ₁₂	0.039/0.041 ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂
Sampling Point L'Hirondelle										
L'Hirondelle	01/09/1999	-	-	-	-	-	-	-	-	-
L'Hirondelle	08/09/1999	-	-	-	-	-	nd	-	-	-
L'Hirondelle	15/09/1999	-	-	-	-	-	nd	-	-	-
L'Hirondelle	23/09/1999	-	-	-	-	-	nd	-	-	-
L'Hirondelle	29/09/1999	-	-	-	-	-	nd	-	-	-
L'Hirondelle	06/10/1999	-	-	-	-	-	nd	-	-	-
L'Hirondelle	13/10/1999	-	-	-	-	-	nd	-	-	-
L'Hirondelle		-	-	-	-	-	-	-	-	-
L'Hirondelle	26/05/2015	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	0.079
L'Hirondelle	12/07/2016	Nd	Nd	0.026	Nd	Nd	Nd	Nd	Nd	Nd
Sampling Point La Cachette										
La Cachette	07/04/1999	-	-	-	-	-	-	-	-	-
La Cachette	10/11/2005	-	-	0.61	-	-	0.92	-	-	-
La Cachette	12/06/2006	Nd	Nd	0.11	Nd	Nd	0.08	Nd	Nd	nd
La Cachette	06/12/2006	0.07	0.04	0.26	Nd	Nd	0.24	Nd	Nd	0.02
La Cachette	24/05/2010	0.082	0.028	0.25	Nd	Nd	0.14	Nd	Nd	0.061
La Cachette	07/02/2011	Nd	0.04	0.45	Nd	Nd	0.23	Nd	Nd	Nd
La Cachette	13/06/2011	0.089	0.036	0.37	Nd	Nd	0.13	Nd	Nd	Nd
La Cachette	22/02/2012	0.056	0.069	0.58	Nd	Nd	0.19	Nd	Nd	Nd
La Cachette	16/08/2012	0.041	0.029	0.26	Nd	Nd	0.10	Nd	Nd	Nd
La Cachette	05/03/2013	0.04	Nd	0.26	Nd	Nd	0.06	Nd	Nd	Nd
La Cachette	17/04/2014	0.05	0.046	0.49	Nd	Nd	0.20	Nd	Nd	0.038
La Cachette	07/09/2015	Nd	Nd	0.43	Nd	Nd	0.15	Nd	Nd	0.063
La Cachette	24/06/2016	Nd	Nd	0.39	Nd	Nd	0.14	Nd	Nd	0.035
Sampling Point La Grange										
La Grange	10/11/2005	-	-	0.48	-	-	-	-	-	-
La Grange	12/06/2006	0.04	0.11	0.68	0.75	0.03	0.64	Nd	Nd	nd
La Grange	06/12/2006	0.036	0.067	0.31	Nd	0.013	0.35	Nd	Nd	0.023
La Grange	24/05/2010	0.12	0.12	1.3	Nd	0.044	1.30	Nd	Nd	0.12
La Grange	07/02/2011	Nd	0.05	0.45	Nd	Nd	0.42	Nd	Nd	0.04
La Grange	13/06/2011	0.11	0.055	0.55	Nd	0.011	0.39	Nd	Nd	0.098
La Grange	22/02/2012	0.052	0.076	0.58	Nd	0.015	0.44	Nd	Nd	0.050
La Grange	15/08/2012	0.049	0.058	0.61	Nd	0.012	0.47	Nd	Nd	0.051
La Grange	05/03/2013	0.05	Nd	0.38	Nd	Nd	0.23	Nd	Nd	Nd
La Grange	17/04/2014	0.063	0.066	0.59	Nd	Nd	0.38	Nd	Nd	0.057
La Grange	07/09/2015	Nd	Nd	0.42	Nd	Nd	0.28	Nd	Nd	0.056
La Grange	24/06/2016	Nd	Nd	0.54	Nd	Nd	0.26	Nd	Nd	0.033
Sampling Point Val De La Mare Farm House, Cottage & Workshop										
Val de la Mare Farm House	06/04/1999	-	-	-	-	-	-	-	-	-
Val de la Mare Farm House	10/11/2005	-	0.54	2.5	-	-	1.60	-	-	-
Val de la Mare Farm House	05/06/2006	0.09	0.14	1.3	0.79	0.06	1.80	Nd	0.68	0.014
Val de la Mare Farm House	06/12/2006	0.088	0.17	0.97	Nd	0.028	1.30	Nd	Nd	0.085
Val de la Mare Farm House	10/01/2008	-	0.54	2.5	-	-	1.60	-	-	-
Val de la Mare Farm House	12/03/2009	Nd	Nd	Nd	Nd	Nd	0.05	Nd	Nd	Nd
Val de la Mare Farm House	23/06/2009	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Val de la Mare Farm House	22/02/2017	Nd	0.05	0.97	Nd	0.2	1.4	Nd	Nd	0.11
Val de la Mare Farm Cottage	10/11/2005	-	-	-	-	-	0.90	-	-	-
Val de la Mare Farm Cottage	05/06/2006	0.69	0.11	1.3	1.4	0.04	1.20	Nd	Nd	0.048
Val de la Mare Farm Cottage	22/02/2017	Nd/Nd ₁₂	0.10/0.10 ₁₂	1.2/1.2 ₁₂	Nd/Nd ₁₂	0.03/0.03 ₁₂	0.38/0.38 ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	0.14/0.12 ₁₂
Val de la Mare Farm Workshop	05/06/2006	Nd	0.06	0.24	Nd	Nd	0.08	Nd	Nd	Nd
Val de la Mare Farm Workshop	06/12/2006	0.044	0.081	0.38	Nd	0.010	0.23	Nd	Nd	0.029
Pump	12/03/2009	Nd	Nd	Nd	Nd	Nd	0.048	Nd	Nd	Nd
Pump	23/06/2009	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Pump	14/01/2010	Nd	Nd	0.034	Nd	Nd	0.068	Nd	Nd	Nd
Pump	28/08/2014	Nd	Nd	0.014	Nd	Nd	Nd	Nd	Nd	Nd
Sampling Point Ravenscroft										
Ravenscroft	07/04/1999	-	-	-	-	-	-	-	-	-
Ravenscroft	10/11/2005	-	-	-	-	-	1.50	-	-	-
Ravenscroft	05/06/2006	0.04	0.08	0.49	Nd	Nd	0.55	Nd	Nd	0.11
Ravenscroft	07/12/2006	0.14	0.21	1.4	Nd	0.05	1.20	Nd	Nd	0.09
Sampling Point South View										
Southview Farm	24/11/2005	0.94	1.00	1.90	-	-	0.91	-	-	-
Southview Farm	05/06/2006	0.04	0.11	0.46	0.23	0.01	0.13	-	-	nd
Southview Farm	07/12/2006	0.15	0.26	1.10	Nd	Nd	0.30	Nd	Nd	0.04
Southview Farm	21/05/2010	0.16	0.13	1.00	Nd	Nd	0.27	Nd	Nd	0.08
Southview Farm	13/06/2011	0.20	0.15	1.40	Nd	Nd	0.23	Nd	Nd	0.10
Southview Farm	15/08/2012	0.14	0.16	1.4	0.033	0.015	0.24	Nd	Nd	0.10
Southview Farm	05/03/2013	0.08	0.11	1.52	Nd	0.03	0.56	Nd	Nd	0.19
Southview Farm	22/02/2012	0.15	0.21	2	Nd	0.067	1.20	Nd	Nd	0.23
Southview Farm	21/05/2006	-	-	-	-	-	0.27	-	-	0.083
Southview Farm	16/04/2014	0.093	0.20	2.5	Nd	0.083	2.00	Nd	Nd	0.29
Southview Farm	15/03/2015	0.08	0.11	1.52	Nd	0.03	0.56	Nd	Nd	0.19
Southview Farm	21/02/2017	Nd	0.11	2.1	Nd	0.04	1.6	Nd	Nd	0.20

Sampling Point	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Sampling Point Bethel House										
Bethel House	06/04/1999	-	-	-	-	-	-	-	-	-
Bethel House	20/01/2000	0.62	0.91	1.77	-	-	0.95	-	-	-
Bethel House	19/04/2000	0.73	1.1	2.07	-	0.39	2.50	-	-	-
Bethel House	24/07/2000	0.88	0.90	1.69	-	-	1.40	-	-	-
Bethel House	01/11/2000	1.50	2.10	4.00	-	-	2.50	-	-	-
Bethel House	03/11/2000	1.10	1.70	3.30	-	-	3.10	-	-	-
Bethel House	22/04/2001	-	-	0.86	-	-	1.30	-	-	-
Bethel House	17/10/2001	-	-	1.50	-	-	1.30	-	-	-
Bethel House	04/04/2002	-	-	1.20	-	-	1.70	-	-	-
Bethel House	09/10/2002	-	-	0.23	-	-	0.61	-	-	-
Bethel House	15/10/2003	-	0.11	0.53	-	-	0.46	-	-	-
Bethel House	26/04/2004	0.82	0.93	3.10	-	-	0.58	-	-	-
Bethel House	26/10/2004	0.33	0.40	1.10	-	-	0.78	-	-	-
Bethel House	02/11/2004	-	-	-	-	-	1.40	-	-	-
Bethel House	05/06/2006	0.19	0.33	1.80	Nd	0.11	1.10	Nd	Nd	0.091
Bethel House	20/06/2006	0.11	0.33	1.30	Nd	0.11	1.00	Nd	Nd	0.16
Bethel House	04/07/2006	0.14	0.41	1.80	-	0.11	1.10	-	-	-
Bethel House	18/07/2006	0.12	0.33	1.30	Nd	0.10	1.10	Nd	Nd	0.22
Bethel House	21/05/2010	0.23	0.13	1.50	Nd	0.049	1.10	Nd	Nd	0.18
Bethel House	14/06/2011	0.22	0.18	2.00	Nd	0.06	1.00	Nd	Nd	0.19
Bethel House	20/02/2012	0.22/0.23 ₁₂	0.22/0.23 ₁₂	2.1/2.2 ₁₂	Nd/Nd ₁₂	0.063/0.075 ₁₂	0.92/0.94 ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	0.20/0.22 ₁₂
Bethel House	09/08/2012	0.19	0.18	1.8	Nd	0.054	0.76	Nd	Nd	0.16
Bethel House	05/03/2013	0.14	0.09	1.4	Nd	0.04	0.55	Nd	Nd	0.12
Bethel House	01/05/2014	0.15	0.18	2.2	Nd	0.062	1.60	Nd	Nd	0.16
Bethel House	02/06/2015	0.14	0.16	1.9	Nd	0.034	1.00	Nd	Nd	0.19
Sampling Point Les Cotils										
Les Cotils	06/04/1999	-	-	-	-	-	-	-	-	-
Les Cotils	20/01/2000	0.83	1.4	2.93	-	-	1.20	-	-	-
Les Cotils	20/04/2000	2.38	4.8	10.15	12.18	2.2	60.00	-	-	-
Les Cotils	09/06/2000	2.28	2.70	4.89	<0.84	0.33	1.80	-	-	-
Les Cotils	28/07/2000	2.33	2.9	5.26	-	0.39	2.20	-	-	-
Les Cotils	03/11/2000	1.70	2.20	4.00	-	0.23	1.00	-	-	-
Les Cotils	04/11/2000	2.70	4.40	11.00	-	0.84	3.70	-	-	-
Les Cotils	01/05/2001	-	2.10	2.30	-	0.84	3.70	-	-	-
Les Cotils	23/10/2001	1.70	2.10	3.60	-	0.44	1.30	-	-	-
Les Cotils	04/04/2002	0.89	0.78	2.60	-	0.61	2.10	-	-	-
Les Cotils	16/10/2002	-	-	0.61	-	-	1.70	-	-	-
Les Cotils	03/02/2003	1.20	2.30	4.40	-	-	1.00	-	-	-
Les Cotils	06/03/2003	1.20	2.10	3.80	-	0.61	3.00	-	-	-
Les Cotils	06/05/2003	1.20	2.40	5.20	0.52	0.40	1.30	-	-	-
Les Cotils	24/07/2003	4.70	9.10	19.00	-	0.55	1.80	-	-	-
Les Cotils	19/09/2003	4.90	7.20	14.00	0.76	1.50	8.10	-	-	-
Les Cotils	15/10/2003	0.38	0.85	3.20	0.11	0.81	5.40	-	-	-
Les Cotils	05/01/2004	0.26	0.55	1.90	-	0.48	3.30	-	-	-
Les Cotils	30/01/2004	7.90	11.00	16.00	2.60	0.26	1.50	-	-	-
Les Cotils	18/02/2004	2.90	3.30	7.90	0.74	0.99	9.40	-	-	-
Les Cotils	09/03/2004	2.20	3.90	7.60	0.95	0.95	5.20	-	-	-
Les Cotils	26/04/2004	3.40	0.83	15.00	0.71	0.95	3.40	-	-	-
Les Cotils	15/07/2004	2.50	6.50	14.00	-	0.94	3.70	-	-	-
Les Cotils	29/09/2004	4.30	7.00	15.00	0.64	1.70	9.60	-	-	-
Les Cotils	02/11/2004	0.97	1.50	4.00	-	1.40	5.10	-	-	-
Les Cotils	23/02/2005	6.00	5.60	14.00	0.84	1.40	5.80	-	-	-
Les Cotils	30/03/2005	4.90	12.00	18.00	-	2.20	12.00	-	-	-
Les Cotils	16/05/2005	2.90	4.00	6.30	2.50	1.60	3.20	-	-	-
Les Cotils	10/11/2005	12.00	19.00	44.00	-	11.00	4.50	-	-	-
Les Cotils	31/05/2006	1.30	2.70	11.00	0.68	0.91	4.80	Nd	Nd	3.5
Les Cotils	07/12/2006	1.80	3.70	15.00	0.49	1.10	6.20	Nd	Nd	0.98
Les Cotils	27/06/2007	1.60	2.90	14.00	0.86	0.75	5.10	Nd	Nd	0.98
Les Cotils	09/01/2008	4.4/5.0 ₁₂	19/23 ₁₂	30/34 ₁₂	1.5/1.6 ₁₂	1.0/1.1 ₁₂	4.2/4.5 ₁₂	Nd	Nd	3.50
Les Cotils	11/06/2008	1.20	4.50	14.00	1.60	1.40	9.40	Nd	Nd	0.83
Les Cotils	16/12/2008	1.40	0.88	8.30	Nd	0.52	3.50	Nd	Nd	0.43
Les Cotils	22/06/2009	5.2/4.8 ₁₂	2.1/2.1 ₁₂	8.7/8.2 ₁₂	Nd/Nd ¹²	0.7/0.75 ₁₂	5.6/6.0 ₁₂	Nd/Nd ¹²	Nd/Nd ¹²	0.83/0.85 ₁₂
Les Cotils	22/12/2009	-	-	-	-	-	2.90	-	-	0.39
Les Cotils	03/02/2011	-	-	-	-	-	3.30	-	-	0.46
Les Cotils	16/06/2011	-	-	-	-	-	4.10	-	-	1.1
Les Cotils	13/02/2012	1.5	1.5	8.9	0.15	0.4	3.10	Nd	Nd	0.7
Les Cotils	09/08/2012	1.2	1.4	8.8	0.12	0.37	3.20	Nd	Nd	0.66
Les Cotils	05/03/2013	0.77	0.71	4.93	0.08	0.17	1.05	Nd	Nd	0.34
Les Cotils	15/05/2014	1.2	1.2	9.4	0.45	0.44	3.30	Nd	Nd	0.73
Les Cotils	13/05/2015	1.0	1.3	8.3	0.12	0.29	3.00	Nd	Nd	0.59
Les Cotils	02/06/2016	0.8	0.62	13	0.48	0.57	6.8	Nd	Nd	0.68
Les Cotils	02/05/2017	3.1	2.6	21	1.6	1.3	19	Nd	0.284	1.6
Sampling Point Le Guet										
Le Guet	02/06/2015	0.45/0.54 ₁₂	0.72/0.88 ₁₂	7.1/8.5 ₁₂	0.49/0.61 ₁₂	0.46/0.55 ₁₂	25/26 ₁₂	Nd/Nd ₁₂	0.19/0.17 ₁₂	0.44/0.58 ₁₂
Le Guet	23/02/2016	0.81	1.4	10	0.96	0.66	33	Nd	0.23	0.67
Le Guet	30/06/2016	0.62	0.78	11	0.93	0.37	29	Nd	0.34	0.63
Sampling Point Camelia Cottage										
Camelia Cottage	25/05/2010	0.19	0.14	1.3	Nd	0.032	1.6	Nd	Nd	0.094
Camelia Cottage	09/03/2012	0.17	0.2	2	Nd	0.058	1.9	Nd	Nd	0.16
Camelia Cottage	17/04/2014	0.21	0.27	3.0	Nd	0.080	4.2	Nd	Nd	0.17
Camelia Cottage	26/05/2015	0.11	0.17	1.7	Nd	0.035	2.2	Nd	Nd	0.13
Sampling Point Chateau du Port										
Chateau du Port	06/04/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	05/05/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	11/05/1999	-	-	5.24	-	-	5.03	-	-	-
Chateau du Port	18/05/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	25/05/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	01/06/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	08/06/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	14/06/1999	0.72	-	2.82	-	-	2.79	-	-	-
Chateau du Port	22/06/1999	1.56	-	5.24	-	-	3.64	-	-	-
Chateau du Port	07/01/2000	-	-	2.97	-	-	3.40	-	-	-
Chateau du Port	25/04/2000	2.69	3.5	5.64	3.36	0.93	5.40	-	-	-
Chateau du Port	29/07/2000	3.73	5.1	6.02	4.62	1.4	8.70	-	-	-
Chateau du Port	02/11/2000	1.8	1.6	2.7	-	-	2.60	-	-	-
Chateau du Port	22/04/2001	1.6	2.8	2.00	-	-	3.50	-	-	-
Chateau du Port	23/10/2001	-	2.60	2.70	-	-	4.50	-	-	-
Chateau du Port	04/04/2002	1.00	1.80	2.30	1.10	-	2.50	-	-	-
Chateau du Port	05/10/2002	-	-	0.65	-	-	1.90	-	-	-
Chateau du Port	07/05/2003	0.76	1.40	3.50	0.28	0.61	2.70	-	-	-
Chateau du Port	15/10/2003	0.24	0.52	1.70	-	0.31	4.90	-	-	-
Chateau du Port	21/04/2004	1.60	2.20	7.40	-	0.19	5.10	-	-	-
Chateau du Port	27/10/2004	0.75	1.10	3.00	-	0.30	4.60	-	-	-
Chateau du Port	05/06/2006	0.66	1.20	5.50	0.32	0.38	6.80	Nd	Nd	0.36
Chateau du Port	26/06/2006	0.52	1.60	5.00	0.34	0.47	5.50	-	-	-
Chateau du Port	10/07/2006	0.20	0.70	2.20	4.30	0.22	2.70	-	-	-
Chateau du Port	18/07/2006	0.48	1.40	4.60	0.21	0.50	6.90	Nd	Nd	0.44
Chateau du Port	20/06/2011	1.00	0.84	5.70	0.15	0.24	4.50	Nd	Nd	0.42
Chateau du Port	21/02/2012	0.89	1.0	6.6	0.093	0.28	5.00	Nd	Nd	0.38
Chateau du Port	09/08/2012	0.52	0.71	4.8	0.071	0.19	3.90	Nd	Nd	0.31
Chateau du Port	05/03/2013	0.53	0.54	3.9	0.06	0.13	2.34	Nd	Nd	0.23
Chateau du Port	15/04/2014	0.53	0.55	4.9	0.14	0.18	4.60	Nd	Nd	0.34

Sampling Point Watersplash	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Watersplash RH source	06/04/1999	-	-	-	-	-	-	-	-	-
Watersplash RH source	05/05/1999	-	-	-	-	-	-	-	-	-
Watersplash RH source	11/05/1999	-	-	1.8	-	-	0.22	-	-	-
Watersplash RH source	19/05/1999	-	-	-	-	-	-	-	-	-
Watersplash RH source	25/05/1999	-	-	-	-	-	-	-	-	-
Watersplash RH source	01/06/1999	-	-	-	-	-	-	-	-	-
Watersplash RH source	08/06/1999	-	-	-	-	-	-	-	-	-
Watersplash RH source	15/06/1999	0.52	-	1.80	-	-	0.43	-	-	-
Watersplash RH source	22/06/1999	-	-	9.02	-	-	1.86	-	-	-
Watersplash RH source	08/12/1999	-	-	-	-	-	0.49	-	-	-
Watersplash RH source	07/01/2000	-	-	1.73	-	-	1.10	-	-	-
Watersplash RH source	19/01/2000	0.78	1.30	2.41	-	-	0.82	-	-	-
Watersplash RH source	18/04/2000	1.04	1.70	2.67	<0.84	0.46	1.00	-	-	-
Watersplash RH source	19/07/2000	0.57	1.30	1.65	-	-	0.56	-	-	-
Watersplash RH source	01/11/2000	-	-	2.60	-	-	1.10	-	-	-
Watersplash RH source	07/11/2000	1.40	2.20	3.90	-	0.63	2.00	-	-	-
Watersplash RH source	21/04/2001	1.10	1.60	1.00	-	0.63	2.00	-	-	-
Watersplash RH source	15/10/2001	-	-	2.10	-	-	1.30	-	-	-
Watersplash RH source	12/04/2002	-	1.10	1.60	-	-	1.50	-	-	-
Watersplash RH source	09/10/2002	-	-	0.30	-	-	0.52	-	-	-
Watersplash RH source	29/04/2003	0.69	1.80	2.70	-	-	0.52	-	-	-
Watersplash RH source	16/10/2003	0.09	0.24	0.43	-	-	1.30	-	-	-
Watersplash RH source	26/04/2004	0.69	0.84	1.70	-	-	0.94	-	-	-
Watersplash RH source	27/10/2004	0.19	0.41	0.57	-	-	0.48	-	-	-
Watersplash RH source	28/10/2004	-	-	-	-	-	0.48	-	-	-
Watersplash RH source	13/06/2006	0.12	0.32	0.74	Nd	0.11	0.58	Nd	Nd	Nd
Watersplash RH source	25/07/2006	0.09	0.27	0.66	Nd	0.08	0.40	Nd	Nd	0.14
Watersplash RH source	27/06/2006	0.15	0.15	1.40	Nd	0.02	0.45	Nd	Nd	0.069
Watersplash RH source	11/07/2006	-	-	-	-	-	0.50	-	-	-
Watersplash RH source	27/04/2006	-	-	-	-	-	0.40	-	-	0.14
Watersplash RH source	12/07/2016	0.15	0.15	1.40	Nd	0.02	0.45	Nd	Nd	0.069
Watersplash LH Source	07/04/1999	-	-	-	-	-	-	-	-	-
Watersplash LH Source	30/04/1999	-	-	-	-	-	-	-	-	-
Watersplash LH Source	07/05/1999	-	-	1.57	-	-	nd	-	-	-
Watersplash LH Source	14/05/1999	-	-	-	-	-	-	-	-	-
Watersplash LH Source	21/05/1999	0.68	-	2.56	-	-	1.16	-	-	-
Watersplash LH Source	28/05/1999	0.56	-	2.15	-	-	Nd	-	-	-
Watersplash LH Source	04/06/1999	0.56	-	2.24	-	-	0.39	-	-	-
Watersplash LH Source	11/06/1999	0.40	-	1.63	-	-	0.43	-	-	-
Watersplash LH Source	25/01/2000	0.48	0.75	1.39	-	-	0.65	-	-	-
Watersplash LH Source	14/04/2000	1.19	2.00	3.46	1.64	0.67	1.80	-	-	-
Watersplash LH Source	24/07/2000	1.50	1.30	2.63	-	-	1.10	-	-	-
Watersplash LH Source	27/10/2000	1.20	1.60	2.80	-	0.42	0.83	-	-	-
Watersplash LH Source	10/11/2000	1.50	2.30	4.20	-	-	2.20	-	-	-
Watersplash LH Source	17/04/2001	1.10	1.60	1.20	-	-	2.20	-	-	-
Watersplash LH Source	17/10/2001	-	2.20	2.60	-	-	1.00	-	-	-
Watersplash LH Source	05/04/2002	-	1.00	1.50	-	-	1.90	-	-	-
Watersplash LH Source	09/10/2002	-	-	0.30	-	-	5.00	-	-	-
Watersplash LH Source	07/05/2003	0.33	0.69	1.00	0.45	-	0.56	-	-	-
Watersplash LH Source	04/11/2003	0.10	0.20	0.60	-	0.13	0.62	-	-	-
Watersplash LH Source	21/04/2004	0.56	1.30	1.50	-	-	0.68	-	-	-
Watersplash LH Source	25/10/2004	0.19	0.23	0.71	-	0.11	0.07	-	-	-
Watersplash LH Source	04/11/2004	0.10	0.20	0.60	-	-	0.81	-	-	-
Watersplash LH Source	05/06/2006	0.14	0.17	0.76	Nd	0.06	0.34	Nd	Nd	Nd
Watersplash LH Source	20/06/2006	0.06	0.14	0.35	0.09	0.04	0.29	Nd	Nd	0.06
Watersplash LH Source	04/07/2006	0.1	0.26	0.54	0.26	0.07	0.25	-	-	-
Watersplash LH Source	18/07/2006	0.09	0.20	0.58	0.13	0.07	0.23	Nd	Nd	0.06
Watersplash LH Source	21/03/2016	Nd/Nd ₁₂	0.20/0.18 ₁₂	1.2/1.0 ₁₂	Nd/Nd ₁₂	0.026/0.022 ₁₂	0.17/0.15 ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	0.074/0.079 ₁₂
Watersplash LH Source	06/07/2016	0.17	0.15	1.6	Nd	0.023	0.47	Nd	Nd	0.093
Sampling Point Pres d'Etang	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Pres d'Etang	15/02/1999	-	-	-	-	-	-	-	-	-
Pres d'Etang	09/06/1999	-	-	-	-	-	nd	-	-	-
Pres d'Etang	15/06/1999	-	-	-	-	-	nd	-	-	-
Pres d'Etang	22/06/1999	-	-	-	-	-	nd	-	-	-
Pres d'Etang	30/06/1999	-	-	-	-	-	nd	-	-	-
Pres d'Etang	31/03/2006	0.05	0.17	0.63	0.53	0.05	2.16	0.53	0.53	-
Pres d'Etang	24/04/2006	-	-	-	-	-	nd	-	-	nd
Pres d'Etang	12/06/2006	<0.58	<0.58	0.05	<0.53	<0.58	0.08	<0.53	<0.53	0.03
Pres d'Etang	26/06/2006	<0.58	<0.58	0.03	0.21	<0.58	0.01	<0.53	<0.53	0.03
Pres d'Etang	10/07/2006	<0.58	<0.58	0.04	<0.53	<0.58	0.04	<0.53	<0.53	0.03
Pres d'Etang	24/07/2006	<0.58	<0.58	0.04	Nd	0.16	<0.58	0.01	<0.53	0.03
Sampling Point Les Sablons	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Les Sablons	22/02/2012	0.020/0.017 ₁₂	0.010/0.010 ₁₂	0.053/0.049 ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂
Les Sablons	14/08/2012	0.025	Nd	0.035	Nd	Nd	Nd	Nd	Nd	Nd
Les Sablons	05/03/2013	0.02	Nd	0.03	Nd	Nd	Nd	Nd	Nd	Nd
Les Sablons	01/05/2014	Nd	0.016	0.076	Nd	Nd	Nd	Nd	Nd	Nd

Sampling Point Elm Farm	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Elm Farm Kitchen sink	06/04/1999	7.00	4.64	13.67	4.88	1.93	43.33	-	-	-
Elm Farm Kitchen sink	24/01/2000	2.18	4.00	12.03	4.2	1.8	41.00	-	-	-
Elm Farm Kitchen sink	21/04/2000	5.18	9.10	26.69	10.5	3.30	83.00	-	-	-
Elm Farm Kitchen sink	28/07/2000	2.85	4.30	13.16	5.04	1.90	32.00	-	-	-
Elm Farm Kitchen sink	03/11/2000	0.82	0.88	3.70	1.10	0.52	6.50	-	-	-
Elm Farm Kitchen sink	04/11/2000	6.4	12.00	40.00	11.00	4.70	98.00	-	-	-
Elm Farm Kitchen sink	21/04/2001	3.00	5.50	7.90	3.60	1.50	41.00	-	-	-
Elm Farm Kitchen sink	23/10/2001	2.50	4.60	9.70	5.50	2.00	30.00	-	-	-
Elm Farm Kitchen sink	04/04/2002	1.50	2.70	5.80	2.10	1.10	18.00	-	-	-
Elm Farm Kitchen sink	15/10/2002	-	-	1.00	0.39	0.30	7.90	-	-	-
Elm Farm Kitchen sink	03/02/2003	1.40	2.90	7.30	2.00	1.30	30.00	-	-	-
Elm Farm Kitchen sink	06/03/2003	0.94	2.10	4.80	1.20	0.66	16.00	-	-	-
Elm Farm Kitchen sink	07/05/2003	1.20	2.70	7.20	2.20	1.00	23.00	-	-	-
Elm Farm Kitchen sink	12/06/2003	4.20	8.20	28.00	3.90	3.30	74.00	-	2.00	-
Elm Farm Kitchen sink	22/07/2003	5.70	12.00	34.00	4.40	3.60	52.00	-	-	-
Elm Farm Kitchen sink	22/09/2003	6.40	9.20	23.00	1.20	2.20	34.00	-	-	-
Elm Farm Kitchen sink	15/10/2003	0.37	0.91	4.7	0.58	0.81	23.00	-	0.52	-
Elm Farm Kitchen sink	05/01/2004	0.53	1.3	5.3	0.81	0.8	13.00	-	0.60	-
Elm Farm Kitchen sink	30/01/2004	-	-	-	-	-	51.00	-	-	-
Elm Farm Kitchen sink	18/02/2004	2.2	3.1	11	1.7	2.3	36.00	-	-	-
Elm Farm Kitchen sink	15/03/2004	4.1	3.2	11	1.6	1.2	31.00	-	-	-
Elm Farm Kitchen sink	26/04/2004	2.1	4.1	14	2.7	2.2	41.00	0.35	0.91	-
Elm Farm Kitchen sink	26/05/2004	1.2	2	6.5	0.85	0.78	17.00	-	-	-
Elm Farm Kitchen sink	15/07/2004	2.0	5.0	12.0	-	2.30	52.00	-	-	-
Elm Farm Kitchen sink	25/08/2004	2.7	5.4	11.0	-	0.97	23.00	-	-	-
Elm Farm Kitchen sink	29/09/2004	1.60	2.80	11.00	0.62	2.20	44.00	-	-	-
Elm Farm Kitchen sink	05/10/2004	2.40	3.90	12.00	1.60	1.60	33.00	-	0.73	-
Elm Farm Kitchen sink	02/11/2004	2.00	3.30	9.50	-	1.30	22.00	-	-	-
Elm Farm Kitchen sink	28/02/2005	2.70	3.60	12.00	1.80	2.00	34.00	-	0.98	-
Elm Farm Kitchen sink	30/03/2005	2.40	6.40	16.00	0.77	2.80	71.00	-	1.4	-
Elm Farm Kitchen sink	16/05/2005	2.50	4.00	8.60	-	1.80	30.00	-	-	-
Elm Farm Kitchen sink	09/11/2005	4.50	0.37	25.00	-	8.60	23.00	-	-	-
Elm Farm Kitchen sink	30/05/2006	0.83	2.0	12	2.5	1.4	31.00	0.43	1.4	1.0
Elm Farm Kitchen sink	30/05/2006	0.08	0.13	0.99	0.01	0.01	0.21	Nd	Nd	0.06
Elm Farm Kitchen sink	30/05/2006	0.81	2.0	11	2.4	1.2	30.00	0.15	0.93	0.70
Elm Farm Kitchen sink	27/06/2007	0.64	2.0	14	4.4	1.1	28.00	0.59	2.9	0.88
Elm Farm Kitchen sink	09/06/2008	0.84	2.9	11	2.3	1.1	29.00	Nd	3.0	0.72
Elm Farm Kitchen sink	16/12/2008	0.86	0.69	11	2.6	0.94	34.00	0.35	1.5	0.86
Elm Farm Kitchen sink	23/06/2009	1.5	1.3	8.3	2.3	0.89	27.00	Nd	2.5	0.83
Elm Farm Kitchen sink	21/12/2009	-	-	-	-	-	30.00	-	-	0.68
Elm Farm Kitchen sink	03/02/2011	-	-	-	-	-	38.00	-	-	0.77
Elm Farm Kitchen sink	22/06/2011	0.75	0.98	9.6	2.2	0.63	29.00	0.24	1.1	1.40
Elm Farm Kitchen sink	22/02/2012	1.0	1.3	12	1.6	0.8	30.00	0.17	1.2	0.97
Elm Farm Kitchen sink	09/08/2012	0.64	0.86	7.7	0.89	0.50	19.00	0.050	0.56	0.69
Elm Farm Kitchen sink	05/03/2013	0.66	0.76	8.2	0.89	0.48	17.00	0.050	0.83	0.60
Elm Farm Kitchen sink	16/04/2014	0.87	1.1	14	4.5	1.2	41.00	0.94	4.9	1.3
Elm Farm Kitchen sink	01/06/2015	0.82	1.2	11	0.79	0.72	23.00	nd	0.42	0.84
Elm Farm Kitchen sink	22/06/2016	0.65	0.50	8.6	1.3	0.52	21.00	Nd	Nd	0.67
Elm Farm	02/05/2017	1.4	1.30	14	1.9	1.1	30.00	Nd	0.42	1.3
Sampling Point Wing Hing	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Wing Hing Kitchen Sink	06/06/2006	0.09	0.16	0.88	0.23	Nd	0.23	Nd	Nd	Nd
Wing Hing Kitchen Sink	07/12/2006	0.16	0.24	1.1	0.36	0.024	0.33	Nd	Nd	0.058
Wing Hing Kitchen Sink	21/05/2010	0.16	0.13	1.00	Nd	Nd	0.27	Nd	Nd	0.083
Wing Hing Kitchen Sink	03/02/2011	-	-	-	-	-	1.70	-	-	0.15
Wing Hing Kitchen Sink	15/11/2011	Nd	Nd	0.019	Nd	Nd	0.034	Nd	Nd	0.033
Wing Hing Kitchen Sink	15/11/2011	0.011	Nd	0.021	Nd	Nd	0.038	Nd	Nd	Nd
Wing Hing Kitchen Sink	04/06/2015	Nd	Nd	0.013	Nd	Nd	Nd	Nd	Nd	0.050
Wing Hing Workshop	05/12/2011	0.010	Nd	0.019	Nd	Nd	0.03	Nd	Nd	Nd
Wing Hing Workshop	12/03/2012	Nd	Nd	0.022	Nd	Nd	0.034	Nd	Nd	Nd
Wing Hing Workshop	15/08/2012	Nd	Nd	0.021	Nd	Nd	0.028	Nd	Nd	Nd
Wing Hing Workshop	06/03/2013	0.020	Nd	0.010	Nd	Nd	Nd	Nd	Nd	Nd
Wing Hing Workshop	16/04/2014	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Wing Hing Workshop	15/05/2015	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Sampling Point Alexander Farm	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Alexander Farm Sink	10/11/2005	-	1.30	2.40	-	-	2.00	-	-	-
Alexander Farm Sink	24/11/2005	-	1.20	2.10	6.20	-	1.70	-	-	-
Alexander Farm Sink	05/06/2006	0.13	0.27	1.3	7.1	0.06	2.20	Nd	6.4	0.13
Alexander Farm Sink	07/12/2006	0.28	0.44	2.4	3.1	0.079	1.40	Nd	0.51	0.18
Alexander Farm Sink	07/12/2006	0.31	0.45	2.8	3.4	0.094	1.40	Nd	0.57	0.17
Alexander Farm Borehole	25/05/2010	0.11	0.075	0.64	Nd	Nd	0.27	Nd	Nd	0.076
Alexander Farm Borehole	03/02/2011	-	-	-	-	-	1.80	-	-	0.10
Alexander Farm Borehole	22/02/2012	0.096	0.15	1.7	0.29	0.058	1.50	Nd	Nd	0.21
Alexander Farm Borehole	16/08/2012	0.092	0.16	1.8	0.42	0.055	1.90	Nd	Nd	0.21
Alexander Farm Borehole	05/03/2013	0.05	Nd	0.53	Nd	0.02	0.93	Nd	Nd	Nd
Alexander Farm Borehole	01/05/2014	0.046	0.083	1.1	0.56	0.039	1.50	Nd	Nd	0.14
Alexander Farm Borehole	25/08/2015	0.080	0.080	1.4	Nd	0.038	1.60	Nd	Nd	0.15
Alexander Farm Well	25/05/2010	0.12	0.13	1.4	0.43	0.048	2.00	Nd	1.5	0.17
Alexander Farm Well	13/06/2011	0.098	0.14	1.6	1.4	0.048	1.60	Nd	0.21	0.23
Alexandre Farm Irrigation	25/05/2010	0.12	0.13	1.40	0.43	0.05	2.00	Nd	1.50	0.17
Sampling Point Maison Guet	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Maison Guet borehole	23/02/2016	9.8	12	52	Nd	3.9	44	Nd	Nd	5.0
Maison Guet borehole	01/07/2016	11	11	67	Nd	3.7	46	Nd	Nd	5.0
Sampling Point Le Trois Vents	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Les Trois Vents Borehole	10/11/2005	0.79	0.72	3.60	-	-	2.40	-	-	-
Les Trois Vents Borehole	19/06/2006	0.07	0.21	0.79	-	0.06	0.72	-	-	-
Les Trois Vents Borehole	07/12/2006	0.12	0.27	1.6	Nd	0.06	0.72	Nd	Nd	0.08
Les Trois Vents Borehole	19/06/2006	0.07	0.21	0.79	Nd	0.06	0.72	Nd	Nd	Nd
Les Trois Vents Borehole	07/12/2006	0.12	0.27	1.6	Nd	0.061	0.72	Nd	Nd	0.080
Les Trois Vents Borehole	25/05/2010	0.21	0.16	1.5	Nd	0.049	1.50	Nd	Nd	0.15
Les Trois Vents Borehole	11/02/2011	0.18	0.19	2.00	Nd	0.09	2.20	Nd	Nd	0.11
Les Trois Vents Borehole	16/06/2011	0.28	0.26	2.8	Nd	0.12	4.50	Nd	Nd	0.66
Les Trois Vents Borehole	20/02/2012	0.18	0.20	2.0	Nd	0.086	2.50	Nd	Nd	0.2
Les Trois Vents Borehole	15/08/2012	0.13	0.18	1.6	Nd	0.058	2.30	Nd	Nd	0.14
Les Trois Vents Borehole	05/03/2013	0.15	0.14	1.56	Nd	0.04	1.80	Nd	Nd	0.09
Les Trois Vents Borehole	17/04/2014	0.29	0.30	3.5	Nd	0.11	7.10	Nd	Nd	0.26
Les Trois Vents Borehole	26/05/2015	0.19	0.24	3	Nd	0.071	5.30	Nd	Nd	0.20
Les Trois Vents Borehole	02/05/2017	0.15	0.13	1.6	Nd	0.037	3.30	Nd	Nd	0.112
Sampling Point Le Hougillon	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Le Hougillon Borehole	26/05/2015	Nd	Nd	Nd	Nd	Nd	0.010	Nd	Nd	Nd
Sampling Point Permellan	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Permellan Borehole	21/04/2016	-	-	-	-	-	2.2	-	-	ND
Permellan Borehole	30/06/2016	0.053	0.057	1.5	Nd	0.063	3.4	Nd	Nd	0.078
Sampling Point Jubilee Farm	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Jubilee Farm Well	01/03/2016	-	-	-	-	-	0.044	-	-	nd
Sampling Point Delice du Berger	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Delice du Berger Borehole	23/02/2016	-	-	-	-	-	33	-	-	0.67
Delice Du Berger Outside Tap	30/06/2016	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Sampling Point The Barn	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
The Barn Borehole	01/07/2016	0.067	0.063	1.5	Nd	0.026	1.5	Nd	Nd	0.032

Sampling Point Maison Du Sud	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Maison Du Sud Well	26/05/2010	0.38	0.41	3.6	0.1	0.17	6.80	Nd	Nd	0.26
Maison Du Sud Well	07/02/2011	0.28	0.33	4.3	3.00	0.21	9.50	Nd	0.57	0.20
Maison Du Sud Well	16/06/2011	0.45	0.54	5.3	0.41	0.18	7.40	Nd	Nd	0.36
Maison Du Sud Well	20/02/2012	0.042	0.047	0.7	Nd	0.053	4.10	Nd	Nd	0.06
Maison Du Sud Well	14/08/2012	0.035	0.032	0.38	Nd	0.021	3.30	Nd	Nd	Nd
Maison Du Sud Well	04/03/2013	0.30	0.35	6.31	0.18	0.10	4.40	Nd	Nd	0.19
Maison Du Sud Well	17/04/2014	0.47	0.58	6.8	1.2	0.38	14.00	Nd	0.35	0.35
Maison Du Sud Well	30/04/2015	0.15	Nd	3.7	Nd	0.12	6.40	Nd	Nd	0.20
Sampling Point Campview	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Campview Borehole	28/05/2015	0.56	0.59	4.4	Nd	0.2	2.2	Nd	Nd	0.38
Sampling Point Westleigh	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Westleigh Outside tap	27/05/2015	0.39	0.47	3.1	Nd	0.085	1.4	Nd	Nd	0.18
Monitoring Sites										
Sampling Point Simon Sand Field Monitoring Sites (No longer exists)	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Simon Sand Field	11/06/1999	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	not examined
Simon Sand Field	18/01/2000	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	not examined
Simon Sand Field	18/04/2000	<LOD	<LOD	0.08	<LOD	<LOD	0.2	<LOD	<LOD	not examined
Simon Sand Field	19/07/2000	<LOD	<LOD	0.08	<LOD	<LOD	0.2	<LOD	<LOD	not examined
Simon Sand Field	27/10/2000	<LOD	<LOD	0.26	<LOD	<LOD	0.5	<LOD	<LOD	not examined
Simon Sand Field	03/11/2000	<LOD	<LOD	<0.40	<LOD	<LOD	0.95	<LOD	<LOD	not examined
Simon Sand Field	17/04/2001	<LOD	<LOD	<0.08	<LOD	<LOD	0.6	<LOD	<LOD	not examined
Simon Sand Field	17/10/2001	<LOD	<LOD	<0.40	<LOD	<LOD	<0.2	<LOD	<LOD	not examined
Simon Sand Field	03/04/2002	<LOD	<LOD	0.51	<LOD	<LOD	1.2	<LOD	<LOD	not examined
Simon Sand Field	14/10/2002	<LOD	<LOD	<0.58	<LOD	<LOD	<0.2	<LOD	<LOD	not examined
Simon Sand Field	29/04/2003	<0.58	<0.58	1.1	<0.53	<0.58	1.4	<0.53	<0.53	not examined
Simon Sand Field	15/10/2003	0.08	0.08	1.15	<0.53	<0.58	0.47	<0.53	<0.53	not examined
Simon Sand Field	21/04/2004	0.26	0.31	1.1	<0.53	<0.58	0.35	<0.53	<0.53	not examined
Simon Sand Field	26/10/2004	<0.58	<0.58	0.31	<0.53	<0.58	0.36	<0.53	<0.53	not examined
Sampling Point Simon Sand Field Monitoring Sites (No longer exists)	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Simon Sand Field	11/06/1999	<LOD	<LOD	0.84	<LOD	<LOD	0.56	<LOD	<LOD	not examined
Simon Sand Field	18/01/2000	<LOD	<LOD	0.94	<LOD	<LOD	0.58	<LOD	<LOD	not examined
Simon Sand Field	18/04/2000	<LOD	<LOD	1.5	<LOD	<LOD	1.00	<LOD	<LOD	not examined
Simon Sand Field	19/07/2000	<LOD	<LOD	2.82	<LOD	<LOD	3.00	<LOD	<LOD	not examined
Simon Sand Field	27/10/2000	<LOD	<LOD	1.60	<LOD	<LOD	1.40	<LOD	<LOD	not examined
Simon Sand Field	04/11/2000	<LOD	<LOD	1.60	<LOD	<LOD	2.00	<LOD	<LOD	not examined
Simon Sand Field	17/04/2001	<LOD	<LOD	0.65	<LOD	<LOD	0.85	<LOD	<LOD	not examined
Simon Sand Field	17/10/2001	<LOD	<LOD	3.90	<LOD	<LOD	4.80	<LOD	<LOD	not examined
Simon Sand Field	03/04/2002	<LOD	<LOD	0.54	<LOD	<LOD	1.50	<LOD	<LOD	not examined
Simon Sand Field	14/10/2002	<LOD	<LOD	0.13	<LOD	<LOD	0.78	<LOD	<LOD	not examined
Simon Sand Field	29/04/2003	<0.58	<0.58	1.10	<0.53	<0.58	1.80	<0.53	<0.53	not examined
Simon Sand Field	15/10/2003	<0.58	<0.58	0.29	<0.53	<0.58	1.10	<0.53	<0.53	not examined
Simon Sand Field	21/04/2004	<0.58	<0.58	1.30	0.88	<0.58	1.20	<0.53	<0.53	not examined
Simon Sand Field	26/10/2004	<0.58	0.13	0.57	<0.53	<0.58	1.20	<0.53	<0.53	not examined
Sampling Point Simon Sand Pond Monitoring Sites	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Simon Sand Pond	17/08/1999	<LOD	<LOD	1.22	<LOD	<LOD	0.85	<0.85	<LOD	not examined
Simon Sand Pond	21/01/2000	<LOD	<LOD	0.79	<LOD	<LOD	0.57	<0.86	<LOD	not examined
Simon Sand Pond	19/04/2000	<LOD	<LOD	1.09	<LOD	<LOD	0.55	<0.87	<LOD	not examined
Simon Sand Pond	27/07/2000	<LOD	<LOD	1.05	<LOD	<LOD	6.8	<0.88	<LOD	not examined
Simon Sand Pond	27/10/2000	<LOD	<LOD	0.75	<LOD	<LOD	0.26	<0.89	<LOD	not examined
Simon Sand Pond	07/11/2000	<LOD	<LOD	2.00	<LOD	<LOD	1.70	<0.90	<LOD	not examined
Simon Sand Pond	15/10/2001	<LOD	<LOD	0.47	<LOD	<LOD	0.53	<0.91	<LOD	not examined
Simon Sand Pond	02/04/2002	<LOD	<LOD	0.46	<LOD	<LOD	1.20	<0.92	<LOD	not examined
Simon Sand Pond	29/04/2003	<0.58	<0.58	0.71	<0.53	<0.58	1.10	<0.53	<0.53	not examined
Simon Sand Pond	07/06/2006	0.04	0.09	0.73	0.22	0.04	1.00	Nd	Nd	0.09
Simon Sand Pond	07/06/2006	0.06	0.12	0.82	0.18	0.04	0.54	Nd	Nd	0.16
Simon Sand Pond	07/06/2006	0.04	0.14	0.94	Nd	0.07	2.5	Nd	Nd	0.11
Simon Sand Pond	07/06/2006	0.06	0.13	0.86	Nd	0.07	0.85	Nd	Nd	0.15
Simon Sand Pond	07/06/2006	0.04	0.14	0.94	<0.53	0.07	2.5	<0.53	<0.53	0.11
Sampling Point Ditch Bethel House Monitoring Sites	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Ditch Bethel House	18/05/1999	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	not examined
Ditch Bethel House	20/01/2000	<LOD	1.1	1.54	2.82	<LOD	2.00	<LOD	<LOD	not examined
Ditch Bethel House	19/04/2000	0.41	0.78	1.43	5.04	0.37	3.00	<LOD	<LOD	not examined
Ditch Bethel House	24/07/2000	<LOD	<LOD	1.53	<LOD	<LOD	3.10	<LOD	<LOD	not examined
Ditch Bethel House	01/11/2000	<LOD	<LOD	2.80	<LOD	<LOD	7.40	<LOD	<LOD	not examined
Ditch Bethel House	03/11/2000	<LOD	<LOD	2.50	<LOD	<LOD	6.00	<LOD	<LOD	not examined
Ditch Bethel House	21/04/2001	1.10	2.40	1.40	<LOD	<LOD	12.00	<LOD	<LOD	not examined
Ditch Bethel House	04/04/2002	<LOD	<LOD	1.80	<LOD	<LOD	5.40	<LOD	<LOD	not examined
Ditch Bethel House	18/10/2002	<LOD	<LOD	0.40	<LOD	<LOD	1.90	<LOD	<LOD	not examined
Ditch Bethel House	29/04/2003	0.50	1.80	4.20	<0.53	0.90	7.40	<0.53	<0.53	not examined
Sampling Point Car Park El Tico Monitoring Sites	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
El Tico Beach Car Park	11/06/1999	<LOD	<LOD	0.44	<LOD	<LOD	0.48	<LOD	<LOD	not examined
El Tico Beach Car Park	18/01/2000	<LOD	<LOD	<0.15	<LOD	<LOD	<0.4	<LOD	<LOD	not examined
El Tico Beach Car Park	18/04/2000	<LOD	<LOD	0.86	<LOD	<LOD	0.55	<LOD	<LOD	not examined
El Tico Beach Car Park	19/07/2000	<LOD	<LOD	<0.08	<LOD	<LOD	1.10	<LOD	<LOD	not examined
El Tico Beach Car Park	02/11/2000	<LOD	<LOD	0.40	<LOD	<LOD	1.20	<LOD	<LOD	not examined
El Tico Beach Car Park	02/11/2000	<LOD	<LOD	<0.08	<LOD	<LOD	0.49	<LOD	<LOD	not examined
El Tico Beach Car Park	17/04/2001	<LOD	<LOD	<0.08	<0.08	<LOD	0.32	<LOD	<LOD	not examined
El Tico Beach Car Park	16/10/2001	<LOD	<LOD	0.84	<LOD	<LOD	0.70	<LOD	<LOD	not examined
El Tico Beach Car Park	23/10/2001	<LOD	<LOD	<0.08	<LOD	<LOD	<0.2	<LOD	<LOD	not examined
El Tico Beach Car Park	03/04/2002	<LOD	<LOD	0.12	<LOD	<LOD	0.27	<LOD	<LOD	not examined
El Tico Beach Car Park	06/10/2002	<LOD	<LOD	0.28	<LOD	<LOD	0.43	<LOD	<LOD	not examined
El Tico Beach Car Park	14/10/2003	<0.58	<0.58	<0.08	<0.53	<0.58	0.28	<0.53	<0.53	not examined
El Tico Beach Car Park	21/04/2004	<0.58	<0.58	0.14	<0.53	<0.58	<0.2	<0.53	<0.53	not examined
El Tico Beach Car Park	25/10/2004	<0.58	<0.58	<0.08	<0.53	<0.58	<0.2	<0.53	<0.53	not examined
El Tico	12/06/2006	0.05	0.09	0.60	Nd	0.04	0.60	Nd	Nd	Nd
El Tico	01/08/2006	0.03	0.08	0.33	Nd	0.04	0.80	Nd	Nd	0.10
El Tico	04/08/2006	0.03	0.08	0.37	0.20	0.07	0.73	Nd	Nd	0.09
El Tico Sea Wall	28/06/2007	Nd	Nd	0.052	Nd	Nd	Nd	Nd	0.25	Nd
Sampling Point La Bray Monitoring Sites	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
La Bray Disused Borehole	09/04/2001	<LOD	<LOD	<0.08	<LOD	<LOD	<0.2	<LOD	<LOD	not examined
La Bray Public WC Well	09/04/2001	<LOD	<LOD	<0.08	<LOD	<LOD	<0.2	<LOD	<LOD	not examined
Sampling Point Fire Training Ground1	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
FTG1	23/02/2012	4	4.9	42	3.8	3.2	41	0.07	0.65	4.1
FTG1	15/08/2012	2.9	3.7	29	1.5	2.5	31	Nd	0.36	2.8
FTG1	06/03/2013	13.86	15.43	97.74	12.28	13.27	91.15	0.34	3.86	8.69
FTG1	17/09/2015	25	27	200.00	14	21	290.00	0.82	3.5	18
FTG1	02/05/2017	30/30	25/25	150/148	20/21	15/15	260/263	0.91/0.82	4.1/4.0	13/14
Sampling Point Fire Training Ground3	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
FTG3	21/01/2009	5.0/5.1 ¹²	8.5/8.0 ¹²	200/190 ¹²	14/12 ¹²	17/18 ¹²	120/110 ¹²	Nd/Nd ¹²	1.1/1.2 ¹²	7.8/9.1 ¹²
FTG3	23/02/2012	3.6	5.7	63.00	3.3	5.2	90.00	0.072	1.2	7
FTG3	15/08/2012	4.1	6.4	51.00	1.5	5.2	78.00	Nd	0.73	4.9
FTG3	06/03/2013	1.91	3.02	30.97	1.41	2.76	87.86	Nd	0.63	1.69
FTG3	02/05/2014	4.2/4.1 ₁₂	5.5/5.3 ₁₂	55/53 ₁₂	7.0/6.3 ₁₂	5.5/5.4 ₁₂	120/120 ₁₂	1.3/1.2 ₁₂	5.7/5.3 ₁₂	3.8/3.7 ₁₂
FTG3	17/09/2015	1.6	1.9	27.00	0.57	1.6	90.00	Nd	0.41	1.9
FTG3	02/05/2017	2.9	2.7	29	3.1	3	63	0.33	0.76	3.3

Sampling Point BH2d	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole BH2d	30/05/2006	0.05	0.12	0.79	0.19	0.12	2.8	nd	nd	0.20
Borehole BH2d	07/12/2006	0.11	0.18	1.3	0.13	0.13	3.1	nd	nd	0.14
Borehole BH2d	27/06/2007	0.78	2.4	12	1.7	0.89	12	nd	0.32	0.72
Borehole BH2d	10/01/2008	0.91	4.8	17	1.9	1.3	9.0	nd	nd	0.67
Borehole BH2d	09/06/2008	0.77	2.3	8.5	nd	0.85	11	nd	nd	0.31
Borehole BH2d	22/06/2009	1.4	1.2	9.2	nd	0.7	13	nd	nd	0.63
Borehole BH2d	16/06/2011	0.31	0.32	2.6	0.1	0.14	2.9	nd	nd	0.26
Borehole BH2d	20/02/2012	0.29	0.35	2.7	0.092	0.15	3.3	nd	nd	0.20
Borehole BH2d	14/08/2012	0.14	0.15	1.3	0.041	0.071	1.7	nd	nd	0.098
Borehole BH2d	04/03/2013	0.16	0.16	1.3	nd	0.04	0.09	nd	nd	0.08
Sampling Point BH2s	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole BH2s	30/05/2006	0.61	1.1	4.9	nd	0.3	1.6	nd	nd	nd
Borehole BH2s	07/12/2006	0.96	1.2	5.8	nd	0.38	3.6	nd	nd	0.31
Borehole BH2s	27/06/2007	0.32	0.67	5.1	nd	0.24	1.4	nd	nd	0.27
Borehole BH2s	10/01/2008	1.2	7	14	nd	0.6	3.1	nd	nd	0.46
Borehole BH2s	09/06/2008	Nd	1	4	nd	0.41	0.74	nd	nd	0.21
Borehole BH2s	15/12/2008	Nd	0.047	1.4	nd	0.07	0.37	nd	nd	0.08
Borehole BH2s	16/06/2011	0.61	0.59	4.4	nd	0.14	1.2	nd	nd	0.29
Borehole BH2s	20/02/2012	0.55	0.58	4.3	0.032	0.17	1.7	nd	nd	0.30
Borehole BH2s	14/08/2012	0.43	0.59	4.2	0.049	0.18	2.3	nd	nd	0.25
Borehole BH2s	04/03/2013	0.55	0.59	5	0.25	0.24	5.5	nd	nd	0.34
Borehole BH2s	17/04/2014	1.2	0.81	6.1	nd	0.2	0.82	nd	nd	0.17
Borehole BH2s	30/04/2015	0.25	0.38	3.2	Nd	0.15	0.98	Nd	Nd	0.13
Sampling Point BH5d	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole BH5d	30/05/2006	0.68	1.3	5.4	0.44	0.65	5.6	nd	0.09	0.24
Borehole BH5d	07/12/2006	0.48	1.2	5.8	0.22	0.55	6.5	nd	nd	0.36
Borehole BH5d	27/06/2007	0.28	0.75	5.9	nd	0.49	13	nd	0.3	0.35
Borehole BH5d	10/01/2008	0.46	1.9	9.4	0.69	0.9	5.9	nd	nd	0.25
Borehole BH5d	09/06/2008	0.43	1.8	5.7	nd	0.69	7.7	nd	nd	0.29
Borehole BH5d	15/12/2008	0.94	0.47	5.7	10	0.54	35	nd	nd	0.43
Borehole BH5d	22/06/2009	Nd	0.89	3.9	nd	0.47	8.4	nd	nd	0.48
Borehole BH5d	21/06/2011	0.66	0.65	5.5	0.48	0.36	8.0	nd	0.18	0.46
Borehole BH5d	20/02/2012	0.70	0.69	5.2	0.31	0.35	8.3	nd	0.082	0.44
Borehole BH5d	09/08/2012	0.53	0.62	4.7	0.21	0.3	7.4	nd	0.058	0.34
Borehole BH5d	04/03/2013	0.43	0.42	3.5	0.12	0.19	3.0	nd	0.04	0.23
Borehole BH5d	17/04/2014	0.55	0.56	5.5	0.59	0.42	8.0	nd	0.4	0.42
Borehole BH5d	30/04/2015	0.45	0.55	4.8	0.1	0.25	6.1	Nd	Nd	0.33
Sampling Point BH5s	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole BH5s	30/05/2006	0.23	0.57	4.7	1	0.56	18	nd	nd	0.38
Borehole BH5s	07/12/2006	0.077	0.18	3.5	nd	0.42	26	nd	nd	0.19
Borehole BH5s	27/06/2007	0.16	0.64	5.8	nd	0.47	22	nd	nd	0.40
Borehole BH5s	10/01/2008	Nd	nd	2.1	nd	0.21	13	nd	nd	0.12
Borehole BH5s	09/06/2008	0.31	1.2	6.7	1.5	0.52	29	nd	nd	0.30
Borehole BH5s	15/12/2008	Nd	0.45	7.2	10	0.54	35	nd	11	0.33
Borehole BH5s	22/06/2009	1.1	0.98	5.4	8.2	0.32	19	nd	8	0.47
Borehole BH5s	21/06/2011	0.35	0.46	5.4	1.7	0.18	15	nd	0.15	0.47
Borehole BH5s	13/02/2012	0.43	0.57	5.6	0.41	0.091	11	nd	nd	0.27
Borehole BH5s	09/08/2012	0.12	0.23	3	nd	0.11	10	nd	nd	0.22
Borehole BH5s	04/03/2013	0.21	0.28	3.5	0.14	0.11	9.8	nd	nd	0.19
Borehole BH5s	17/04/2014	0.23	0.31	4.7	2.7	0.2	17	nd	0.29	0.52
Borehole BH5s	30/04/2015	0.21	0.34	4.5	0.14	0.13	12	Nd	Nd	0.23
Sampling Point Barracks Well	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole	23/11/2000	<LOD	<LOD	1.6	620	<LOD	11.00	<LOD	<LOD	not examined
Borehole	30/04/2002	<LOD	<LOD	0.93	330	<LOD	5.10	<LOD	<LOD	not examined
Borehole	07/05/2003	<0.58	<0.58	0.41	62	<0.58	2.20	<0.53	<0.53	not examined
Borehole	16/10/2003	<0.58	0.12	0.34	21	<0.58	3.4	2.3	29	not examined
Borehole	28/04/2004	0.29	0.31	1.4	60	0.16	9.9	8.6	17	not examined
Borehole	12/06/2006	0.02	0.08	0.62	52	0.05	3.2	9.1	28	3.1
Borehole	26/06/2006	0.03	0.12	0.69	56	0.08	3.1	9.2	33	3.2
Sampling Point Barracks Well A	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole	09/11/2001	<LOD	<LOD	0.42	74	<LOD	2.48	<LOD	<LOD	not examined
Borehole	09/11/2001	<LOD	<LOD	0.42	71	<LOD	2.86	<LOD	<LOD	not examined
Borehole	21/11/2002	<LOD	<LOD	0.08	13	<LOD	1.40	<LOD	<LOD	not examined
Sampling Point FTG Holding Tank	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole	13/10/1999	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	not examined
Borehole	23/11/2000	<LOD	<LOD	2.1	9.8	<LOD	11.00	<LOD	<LOD	not examined
Sampling Point Crash Site	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Crash Site Field	27/06/2006	0.11	0.43	1.7	9.9	0.16	3.40	6.5	12	0.24
Crash Site Field	13/06/2011	0.099	0.11	1.6	4.3	0.037	3.60	0.15	2.2	0.33
Crash Site Field	22/02/2012	0.047	0.066	0.93	1.8	0.021	1.40	0.099	3.4	0.25
Crash Site Field	01/05/2014	0.049	0.042	0.81	7.4	Nd	0.89	0.22	3.6	0.24
Crash Site Field	25/08/2015	Nd	Nd	0.088	Nd	Nd	0.20	Nd	Nd	0.057

DWI Wholesomeness threshold is below

PFOS: 1.0 µg/l

PFOA: 5.0 µg/l

- 1 Calibration of PFOS
- 2 PFBS: perfluorobutanesulphonate, calibration with PFBS
- 3 PFPS: assigned as perfluoropentylsulphonate. Measured by comparison with TDFOS, since no reference sample available
- 4 PFHS: perfluorohexylsulphonate
- 5 TDFOS: tridecylfluorooctylsulphonate
- 6 PFHpS: assigned as perfluoroheptylsulphonate. Measured by comparison with TDFOS, since no reference sample available.
- 7 PFOS: perfluorooctylsulphonate
- 8 TDFOXAS: assigned as tridecylfluorooctane sulphoxide assigned as tridecylfluorooctane sulphone. Measured by comparison with TDFOS, since no reference sample available.
- 9 PFOA: perfluorooctanoic acid
- 10 Calibration with PFOA
- 11 Calibration with TDFOS
- 12 Duplicate analysis

PFOS: perfluorooctylsulphonate

PFOA: perfluorooctanoic acid

nd: not detected; limit of detection 0.01 ppb for PFOS, 0.03 ppb for PFOA

Prior to 2000, the laboratory analytical technique could only detect the two components perfluorohexylsulphonate (PFHS) and perfluorooctylsulphonate (PFOS). Since 2000, the analytical technique has been enhanced and now nine components of